

The following test results are from an independent laboratory: SGS

Test Report**Report No.:** XMAFF170300562-2**Date:** Apr 11 2017

Sample Name: Effecsulin Capsule

Sample Batch No.: A170313A

Above sample(s) was/were submitted and certified by the client, SGS quoted the information with no responsibility as to the accuracy, adequacy and/or completeness.

SGS Sample No. : XMAFF170300562-2

SGS Reference No.: SHAFD1705954801

Date of sample received: Mar 28 2017

Testing period: Mar 28 2017 - Apr 10 2017

Test(S) REQUESTED:

Select test(s) as requested by the applicant

TEST RESULT(S):

Test item	Unit	Test Method (Reference to)	Method Detection Limit	Test result:
Moisture	g/100g	GB 5009.3-2010 I	/	4.17
Ash	g/100g	GB 5009.4-2010	/	3.7
*Arsenic (As)	mg/kg	Journal of AOAC international Vol 90 NO. 3 2007 ICP-MS	0.02	0.65
*Lead (Pb)	mg/kg		0.02	0.31
*Mercury (Hg)	mg/kg		0.01	Not Detected
*Ethanol	mg/kg	SGS in house method HS-GC-MS	10	Not Detected
*Methanol	mg/kg		20	Not Detected

Remark:* The test was carried out by a SGS laboratory.