

The following test results are from an independent laboratory: SGS

Test Report

Report No.: XMAFF170400647

Date: Apr 20 2017

Sample Name: Microbiocide GI Capsule

Sample Batch No.: A170330A

Product Date: 2017/03/30

Above sample(s) was/were submitted and certified by the client, SGS quoted the information with no responsibility as to the accuracy, adequacy and/or completeness.

SGS Sample No. : XMAFF170400647

SGS Reference No.: SHAFD1706963701

Date of sample received: Apr 10 2017

Testing period: Apr 10 2017 - Apr 20 2017

Test(S) REQUESTED:

Select test(s) as requested by the applicant

TEST RESULT(S):

Test item	Unit	Test Method (Reference to)	Method Detection Limit	Test result:
Moisture	g/100g	GB 5009.3-2010 I	/	8.46
Ash	g/100g	GB 5009.4-2010	/	6.37
*Arsenic (As)	mg/kg	Journal of AOAC international Vol 90 NO.3 2007 ICP-MS	0.02	0.35
*Lead (Pb)	mg/kg		0.02	0.29
*Mercury (Hg)	mg/kg		0.01	Not Detected
*Ethanol	mg/kg	SGS in house method HS-GC-MS	10	29
*Methanol	mg/kg		20	Not Detected

Remark:* The test was carried out by a SGS laboratory.