

# Independent Laboratory Test Results

Product Name: D3K2

Compilation report number: 2117000706

Date reported: 2017/01/25

Amount: 150 ml

Sample Description: Capsule  Powder  Liquid

Batch: B170105A

SKU: HCD-FD-05-001

Sampling Date: Jan 11 2017

Testing Results:

Item	Sample	Product: D3K2	Method	PASS/FAIL
Total Aerobic Microbial Count		<100	4789.2-2010	<input checked="" type="checkbox"/> PASS; <input type="checkbox"/> FAIL
Total Combined molds and yeasts count		<10	4789.15-2010	<input checked="" type="checkbox"/> PASS; <input type="checkbox"/> FAIL
Staphylococcus aureus		Not Detected	4789.10-2010	<input checked="" type="checkbox"/> PASS; <input type="checkbox"/> FAIL
Salmonella Species		Not Detected	4789.4-2010	<input checked="" type="checkbox"/> PASS; <input type="checkbox"/> FAIL
Escherichia coli		<0.3	4789.38-2012	<input checked="" type="checkbox"/> PASS; <input type="checkbox"/> FAIL
Anaerobic sulfite-reducing clostridia		<3	1071-2002	<input checked="" type="checkbox"/> PASS; <input type="checkbox"/> FAIL
Lead		Not Detected (<0.05)	5009.12-2010	<input checked="" type="checkbox"/> PASS; <input type="checkbox"/> FAIL
Arsenic		Not Detected (<0.05)	5009.11-2014	<input checked="" type="checkbox"/> PASS; <input type="checkbox"/> FAIL