

# Independent Laboratory Test Results

Product Name: Liquid D 2000

Compilation report number: 2117012781

Date reported: 2017/06/21

Amount: 150ml

Sample Description: Capsule  Liquid

Batch: B170606A

SKU: HCD-FD-05-001

Sampling Date: 2017/06/07

Testing Results:

Item	Sample	Product:	Method	PASS/FAIL
Lead		Not Detected (<0.05)	GB 5009.12-2010	<input checked="" type="checkbox"/> PASS; <input type="checkbox"/> FAIL
Arsenic		Not Detected (<0.05)	GB 5009.11-2014	<input checked="" type="checkbox"/> PASS; <input type="checkbox"/> FAIL
Mercury		<100	GB 5009.17-2014	<input checked="" type="checkbox"/> PASS; <input type="checkbox"/> FAIL
Total Combined molds and yeasts count		<10	GB 4789.15-2010	<input checked="" type="checkbox"/> PASS; <input type="checkbox"/> FAIL
Coliform		<0.3	GB 4789.3-2010	<input checked="" type="checkbox"/> PASS; <input type="checkbox"/> FAIL
Staphylococcus aureus		Not Detected	GB 4789.10-2010	<input checked="" type="checkbox"/> PASS; <input type="checkbox"/> FAIL
Salmonella Species		Not Detected	GB 4789.4-2010	<input checked="" type="checkbox"/> PASS; <input type="checkbox"/> FAIL
Escherichia coli		<0.3	GB 4789.38-2012	<input checked="" type="checkbox"/> PASS; <input type="checkbox"/> FAIL
Anaerobic sulfite-reducing clostridia		<3	SN/T 1071-2002	<input checked="" type="checkbox"/> PASS; <input type="checkbox"/> FAIL