

The following test results are from an independent laboratory:
SGS

Test Report

Report No.: XMAFF180400912-1
Date: MAY 11, 2018

Sample Name: BILE-AID CAPSULE
Sample Batch No.: A180409A
Product Date: 4/9/2018

Above sample(s) was/were submitted and certified by the client, SGS quoted the information with no responsibility as to the accuracy, adequacy, and/or completeness.

SGS Sample No.: XMAFF180400912-1
SGS Reference No.: ASH18-018320-01
Date of sample received: APR 26, 2018
Testing period: APR 26, 2018 – MAY 10, 2018

Test(S) REQUESTED:

Select test(s) as requested by the applicant

TEST RESULT(S):

Test item	Unit	Test Method (Reference to)	Test result	Method detection limit
Moisture	g/100g	GB 5009.3-2016 I	3.90	/
Ash	g/100g	GB 5009.4-2016 I	4.6	/
*Aflatoxin B ₁	µg/kg	General requirement No. 2351 method I of Ch.P.2015 Volume IV HPLC-FLD	Not detected	3.0
*Aflatoxin B ₂	µg/kg		Not detected	3.0
*Aflatoxin G ₁	µg/kg		Not detected	2.0
*Aflatoxin G ₂	µg/kg		Not detected	2.0
*Aflatoxin (B ₁ +B ₂ +G ₁ +G ₂)	µg/kg		Not detected	/
*Methanol	mg/kg	In house method HS-GC-MS	Not detected	20
*Ethanol	mg/kg		Not detected	10
*Lead (Pb)	mg/kg	Journal of AOAC international Vol 90, NO.3, 2007 ICP-MS	0.22	0.02
*Mercury (Hg)	mg/kg		Not detected	0.01
*Arsenic (As)	mg/kg		0.61	0.02
Heavy Metals (as Pb)	mg/kg	General requirement No. 0821 of Ch.P.2015 Volume IV I	< 10	/

Remark:* The test was carried out by a SGS laboratory.