

## TEST REPORT

THE INSPECTION AND QUARANTINE TECHNOLOGY CENTER, ENTRY INSPECTION AND QUARANTINE BUREAU

Compilation report number: 2117036523

Date reported: 12/11/2017

Product Name: MDS Capsule

Amount: 68g \* 2 bottles

Sample Description: Capsule  Powder  Liquid

Batch: A171128A

SKU: HCD\_FD-04-006

Sampling Date: 12/04/2017

### Testing Results:

| Item                                  | Sample | Product:<br>MDS Capsule | Method       |
|---------------------------------------|--------|-------------------------|--------------|
| Total Aerobic Microbial Count         |        | <100                    | 4789.2-2010  |
| Total Combined molds and yeasts count |        | <10                     | 4789.15-2010 |
| Coliform                              |        | <0.3                    | 4789.3-2010  |
| Staphylococcus aureus                 |        | Not detected            | 4789.10-2010 |
| Salmonella Species                    |        | Not detected            | 4789.4-2010  |
| Escherichia coli                      |        | <0.3                    | 4789.38-2012 |
| DDT                                   |        | <0.009                  | 5009.19-2008 |
| Parathion                             |        | <0.01                   | 0148-2011    |
| Hexachlorocyclohexane isomers         |        | <0.002                  | 5009.19-2008 |
| Nitrate based on NaNO <sub>2</sub>    |        | Not detected (<1)       | 5009.33-2010 |

Note: The above test results are only responsible for the sample.