

## TEST REPORT

THE INSPECTION AND QUARANTINE TECHNOLOGY CENTER, ENTRY INSPECTION AND QUARANTINE BUREAU

Compilation report number: 2118008955

Date reported: 6/12/2018

Product Name: MDS CAPSULE

Amount: 68g \* 2 bottles

Sample Description: Capsule  Powder  Liquid

Batch: A180508A

SKU: HCD\_FD-04-006

Sampling Date: 5/25/2018

### Testing Results:

Item	Sample	Product: MDS CAPSULE	Method
Total Aerobic Microbial Count		< 100	GB 4789.2-2016
Total Combined molds and yeasts count		< 10	GB 4789.15-2016
Coliform		< 0.3	GB 4789.3-2016
Staphylococcus aureus		Not detected	GB 4789.10-2016
Salmonella Species		Not detected	GB 4789.4-2016
Escherichia coli		< 0.3	GB 4789.38-2012
DDT		< 0.009	GB 5009.19-2008
Parathion		< 0.01	SN/T 0148-2011
Hexachlorocyclohexane isomers		< 0.002	GB 5009.19-2008
Nitrate based on NaNO <sub>2</sub>		Not detected (<1)	GB 5009.33-2016

Note: The above test results are only responsible for the sample.