

Test Data From Certificate of Analysis Manufacturer

Report No. 7/4/2018

Product Name	MDS CAPSULES	#MO	#047	Product SKU	HCD_FD-04-006
Product Spec.	90 CAPSULES (68g)	Quantity	1611	Lot No.	A180619A
Mfg. Date	6/16/2018	Expired Date	24 MONTHS	Report Date	7/20/2018

No.	Testing Item	Standard	Results	Pass/Fail
1	Total Aerobic Microbial Count	≤ 1000 cfu/g	10 cfu/g	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
2	Total combined molds and yeasts count	≤ 100 cfu/g	< 10 cfu/g	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
3	Bile-tolerant gram-negative bacteria	≤ 100 cfu/g	< 10 cfu/g	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
4	Staphylococcus aureus	Negative	Not detected	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
5	Salmonella Species	Negative	Not detected	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
6	Escherichia coli	Negative	Not detected	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
7	Clostridium species	Negative	Not detected	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
8	Moisture	≤ 10%	6.05%	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
9	Ash	≤ 10%	14.24%	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
10	Hexachlorocyclohexane isomers	≤ 0.3 mg/kg	<0.002 mg/kg	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
11	DDT	≤ 1.0 mg/kg	<0.009 mg/kg	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
12	Parathion	≤ 0.5 mg/kg	<0.01 mg/kg	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
13	Methanol residue	≤ 3000 mg/kg	Not detected	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
14	Ethanol residue	≤ 5000 mg/kg	Not detected	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
15	Nitrite	≤ 10 mg/kg	Not detected	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
16	Heavy Metal	≤ 20 mg/kg	< 20 mg/kg	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
17	Lead	≤ 0.5 mg/kg	0.08 mg/kg	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
18	Arsenic	≤ 1.5 mg/kg	0.03 mg/kg	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
19	Total Mercury	≤ 1.5 mg/kg	Not detected	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
20	Cadmium	≤ 0.5 mg/kg	Not detected	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
21	Af.latoxin B ₁ , B ₂ , G ₁ , G ₂	≤ 20 ppb	Not detected	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
22	Af.latoxin B1	≤ 5 ppb	Not detected	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
23	Net weight	61.2~74.8g	Conform	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
24	Disintegration	All of the capsules disintegrate within 30min	Conform	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
25	Packaging and label	Comply with design	Conform	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL

Conclusion	<input checked="" type="checkbox"/> Complies with USP standards and contracts. PASS <input type="checkbox"/> Does NOT comply with USP standard and contract. FAILURE
------------	---