

## TEST REPORT

THE INSPECTION AND QUARANTINE TECHNOLOGY CENTER, ENTRY INSPECTION AND QUARANTINE BUREAU

Compilation report number: 2118013805

Date reported: 7/17/2018

Product Name: METABOCLEAR VANILLA SHAKE

Amount: 455g

Sample Description: Capsule  Powder  Liquid

Batch: C180627A

SKU: HCD\_FD-02-005

Sampling Date: 7/3/2018

### Testing Results:

Item	Sample	Product: METABOCLEAR VANILLA SHAKE	Method
Total Aerobic Microbial Count		<100	GB 4789.2-2016
Total Combined molds and yeasts count		<10	GB 4789.15-2016
Coliform		<0.3	GB 4789.3-2016
Staphylococcus aureus		Not detected	GB 4789.10-2016
Salmonella Species		Not detected	GB 4789.4-2016
Escherichia coli		<0.3	GB 4789.38-2012
DDT		<0.009	GB 5009.19-2008
Parathion		<0.01	SN/T 0148-2011
Hexachlorocyclohexane isomers		<0.002	GB 5009.19-2008
Nitrate based on NaNO <sub>2</sub>		5.9	GB 5009.33-2016

Note: The above test results are only responsible for the sample.