



SUPER G ANTIOXIDANT

Supports Healthy Inflammatory Response



Supplement Facts

Serving size: 1 Capsule Servings per container: 60	Amount per serving	% Daily Value
Selenium (as L-Selenomethionine)	37mcg	52%
S-Acetyl L-Glutathione	189mg	**
N-Acetyl L-Cysteine	151mg	**
Super G Antioxidant herbs	151mg	**
Proprietary blend of: Cordyceps extract (whole plant)(standardized to 7% cordycepic acid), Acetyl L-Carnitine, Milk thistle (80% Silymarin), L-Glutamine, Alpha R-Lipoic Acid, L-Glycine.		

** Daily Value Not Established

Other ingredients: Gelatin capsule (Gelatin, Purified water), Cellulose

DOES NOT CONTAIN: Sugar, wheat, casein, gluten, milk, soy, egg, preservatives, yeast, artificial flavorings, colorings, peanuts, tree nuts or fish.

Purpose of Product:

- Supports adrenal function
- Supports the bodies ability to protect against oxidative damage
- Supports healthy moods
- Supports memory and cognition
- Supports normal cortisol levels

Directions:

As directed by your health care provider.



1. Adams JD, et al. Alzheimer's and Parkinson's Disease. Brain levels of glutathione, glutathione disulfide, and vitamin E. *Mol Clin Neuropathol* 1991;14:213-226.
2. Altmore E, et al. Hepatic glutathione content in patients with alcoholic and non-alcoholic liver disease. *Life Sci* 1988;43:991-998.
3. Biaglow JE, et al. Role of glutathione and other thiols in cellular response to radiation and drugs. *Drug Metab Rev* 1989;20:1-12.
4. Buchanan MR, Brister SJ. Altering vessel wall fatty acid metabolism: a new strategy for antithrombotic treatment. *Sem Throm Hemostasis* 1993;19:149-57.
5. Buhl, et al. Systemic glutathione deficiency in symptom-free HIV-1 seropositive individuals. *Lancet* 1989(Dec 2);1294-1298.
6. Cross CE, et al. Oxygen Radicals and human disease. *Ann Intern Med* 1987;107:526-545.
7. Droge W, et al. Functions of glutathione and glutathione disulfide in immunology and immunopathology. *FASEB J* 1994;8:1131-1138.
8. Fidelus RK. Glutathione and lymphocyte activation: a function of aging and auto-immune disease. *Immunology* 1987;61:503-508.
9. Fidelus, et al. Glutathione and lymphocyte activation: a function of aging and auto-immune disease. *Immunology* 1987; 61:503-508.
10. Jenner P. Oxidative damage in neurodegenerative disease. *Lancet* 1994 (Sept 17);796-798.
11. Ji LL. Oxidative stress during exercise: implications of antioxidant nutrients. *Free Rad Biol Medi* 1995;18(6):1079-1086.
12. Kidd PM. Cell membranes, endothelia, and atherosclerosis and the importance of dietary fatty acid balance. *Alternative Med Rev* 1996;1(3):148-167.
13. Kidd PM. Liver biotransformation of xenobiotics, food, and drugs to free radical oxidants. In: Levine SA, Kidd PM. *Antioxidants Adaptation and Its Role in Free Radical Pathology*. San Leandro, CA: Biocurrents; 1985:222-281.
14. Kinschere R, et al. Effect of glutathione depletion and oral N-acetylcysteine treatment on CD4+ and CD8+ cells. *FASEB J* 1994;8:448- 451.
15. Loguercio C, et al. Alteration of erythrocyte glutathione, cyteine, and glutathione synthetase in alcoholic and non-alcoholic cirrhosis. *Scan J Clin Lab Invest* 1992;52:207-213.
16. Seifert CF, et al. Correlation of acetaminophen and ethanol use, plasma glutathione concentrations and diet with hepatotoxicity. *Pharmacotherapy* 1994;14:376-377.
17. Shigesawa, et al. Significance of plasma glutathione determination of patients with alcohol and non-alcoholic liver disease. *J Gastroenterol Hepatol* 1992;7:7-11.
18. Stamler JS, Slivka A. Biological chemistry of thiols in the vasculature and in vascular related disease. *Nutr Revs* 1996;54:1-30.
19. Witschi A, et al. The systemic availability of oral glutathione. *Euro J Clin Pharmacol* 1992; 43:667-669.
20. Wu D, et al. In vitro glutathione supplementation enhances interleukin- 2 production and mitogenic response of peripheral blood mononuclear cells from young and old subjects. *J Nutr* 1994;124:655-663.

The research citations included should not be construed as, and is not a claim for the performance of this product. To be provided by health care professionals only. The dosage recommendations are only for your health care provider's consideration. Please consult your health care provider for your individual dosing instructions. This product is for nutritional purposes only. It is advisable to consult your health care provider before starting a nutritional supplement program or before using these or any product during pregnancy or if you have a serious medical condition. This product or the information provided is not designed to diagnose, treat, reverse, cure or prevent any disease. This product is not intended to replace or delay the use of prescription medication. These statements have not been evaluated by the FDA.