

TEST REPORT

REPORT THE INSPECTION AND QUARANTINE TECHNOLOGY CENTER, ENTRY INSPECTION AND QUARANTINE BUREAU

Product Name: Hepato-CL Capsule

Amount: 79g

Sample Description: Capsule Powder

Batch: A181120A SKU: HCD_FD-04-001

Sampling Date: 12/01/2018

Testing Results:

Item	Sample	Product:	Method:
Aerobic Plate Count (CFU/g)		<100	GB 4789.2-2016
Coliform (MPN/g)		<0.3	GB 4789.3-2016
Molds and Yeasts (CFU/g)		<10	GB 4789.15-2016
<i>Salmonella</i> (25/g)		Not Detected	GB 4789.4-2016
<i>Escherichia coli</i> (MPN/g)		<0.3	GB 4789.38-2016
<i>Staphylococcus aureus</i> (25/g)		Not Detected	GB 4789.10-2016
Hexachlorocyclohexane isomers (mg/kg)		<0.002	GB/T 5009.19-2016
Dichlorodiphenyltrichloroethane (mg/kg)		<0.009	GB/T 5009.19-2016
Parathion (mg/kg)		<0.01	SN/T 0148-2011
Nitrate based on NaNO ₂ (mg/kg)		Not Detected (<1)	GB 5009.33-2016

Note: The above test results are only responsible for this sample