

The following test results are from an independent laboratory: SGS

Test Report

Report No.: XMAFF181103012-4
Date: Dec 10 2018
Sample Name: Hypaax Balance Capsule
Sample Batch No.: A181121A
Product Date: 2018/11/21

Above sample(s) was/were submitted and certified by the client, SGS quoted the information with no responsibility as to the accuracy, adequacy, and/or completeness.

SGS Sample No.: XMAFF181103012-4
SGS Reference No.: SHAFD1826918302
Date of sample received: Nov 30 2018
Testing period: Nov 30 2018 ~ Dec 10 2018

Test(S) REQUESTED:

Select test(s) as requested by the applicant

TEST RESULT(S):

Test Item	Unit	Test Method (Reference to)	Test result	Limit of Quantitation
Moisture	g/100g	GB 5009.3-2016 i	4.14	/
Ash	g/100g	GB 5009.4-2016	8.6	/
*Aflatoxin B ¹	µg/kg	General requirement No. 2351 method I of Ch.P.2015 Volume IV HPLC-FLD	Not Detected	3.0
*Aflatoxin B ²	µg/kg		Not Detected	3.0
*Aflatoxin G ¹	µg/kg		Not Detected	2.0
*Aflatoxin G ²	µg/kg		Not Detected	2.0
*Aflatoxin (B ¹ +B ² +G ¹ +G ²)	µg/kg		Not Detected	/
*Methanol	mg/kg	In house method HS-GC-MS	Not Detected	20
*Ethanol	mg/kg		33	10
*Lead (Pb)	mg/kg	Journal of AOAC international Vol 90, No.3, 2007 ICP-MS	0.18	0.02
*Mercury (Hg)	mg/kg		Not Detected	0.01
*Arsenic (As)	mg/kg		0.31	0.02
*Cadmium (Cd)	mg/kg		Not Detected	0.02

Remark:* The test was carried out by a SGS laboratory.