

Test Data From Certificate of Analysis Manufacturer

Report No. 20181201

Product Name	MDS Capsule	#MO	#051	Product SKU	HCD_FD-04-006
Product Spec.	90 Capsules (71g)	Quantity	1587	Lot No.	A181102A
Mfg. Date	2018/11/02	Expired Date	24 Months	Report Date	2018/12/03

No.	Testing Item	Standard	Results	Pass/Fail
1	Total Aerobic Microbial Count	≤ 1000 cfu/g	10 cfu/g	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
2	Total combined molds and yeasts count	≤ 100 cfu/g	<10 cfu/g	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
3	Bile-tolerant gram-negative bacteria	≤ 100 cfu/g	<10 cfu/g	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
4	Staphylococcus aureus	Negative	Not Detected	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
5	Salmonella Species	Negative	Not Detected	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
6	Escherichia coli	Negative	Not Detected	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
7	Clostridium species	Negative	Not Detected	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
8	Moisture	≤ 10%	6.32%	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
9	Hexachlorocyclohexane isomers	≤ 0.3 mg/kg	<0.002 mg/kg	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
10	DDT	≤ 1.0 mg/kg	<0.009 mg/kg	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
11	Parathion	≤ 0.5 mg/kg	<0.01 mg/kg	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
12	Methanol residue	≤ 3000 mg/kg	Not Detected	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
13	Ethanol residue	≤ 5000 mg/kg	Not Detected	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
14	Nitrite	≤ 10 mg/kg	Not Detected	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
15	Heavy Metal	≤ 20 mg/kg	<20 mg/kg	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
16	Lead	≤ 2.0 mg/kg	0.11 mg/kg	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
17	Arsenic	≤ 1.0 mg/kg	0.02 mg/kg	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
18	Total Mercury	≤ 0.3 mg/kg	Not Detected	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
19	Cadmium	≤ 0.5 mg/kg	Not Detected	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
20	Aflatoxin B ¹ , B ² , G ¹ , G ²	≤ 20 ppb	Not Detected	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
21	Aflatoxin B ¹	≤ 5 ppb	Not Detected	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
22	Net weight	63.9 ~ 78.1g	Conforms	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
23	Disintegration	All of the capsules disintegrate within 30min	Conforms	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
24	Packaging and label	Comply with design	Conforms	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
25	Apperance	Complies	Conforms	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL

Conclusion	<input checked="" type="checkbox"/> Complies with USP standards and contracts. PASS <input type="checkbox"/> Does NOT comply with USP standard and contract. FAILURE
------------	---