

TEST REPORT

REPORT THE INSPECTION AND QUARANTINE TECHNOLOGY CENTER, ENTRY INSPECTION AND QUARANTINE BUREAU

Product Name: MDS Capsule

Amount: 71g

Sample Description: Capsule Powder

Batch: A181102A SKU: HCD_FD-04-006

Sampling Date: 11/08/2018

Testing Results:

Item	Sample	Product:	Method:
Aerobic Plate Count (CFU/g)		<100	GB 4789.2-2016
Coliform (MPN/g)		<0.3	GB 4789.3-2016
Molds and Yeasts (CFU/g)		<10	GB 4789.15-2016
Salmonella (25/g)		Not Detected	GB 4789.4-2016
Staphylococcus aureus (25/g)		Not Detected	GB 4789.10-2016
Escherichia coli (MPN/g)		<0.3	GB 4789.38-2016
Hexachlorocyclohexane isomers (mg/kg)		<0.002	GB/T 5009.19-2008
DDT (mg/kg)		<0.009	GB/T 5009.19-2008
Parathion (mg/kg)		<0.01	SN/T 0148-2011
Nitrate based on NaNO ₂ (mg/kg)		ND (<1)	GB 5009.33-2016

Note: The above test results are only responsible for this sample