

The following test results are from an independent laboratory: SGS

Test Report

Report No.: XMF19-001164-02

Date: June 11, 2019

Sample Name: Effecsulin

Sample Batch No.: A190509A

Product Date: 20190509

Above sample(s) was/were submitted and certified by the client, SGS quoted the information with no responsibility as to the accuracy, adequacy, and/or completeness.

SGS Sample No.: A190509A

SGS Reference No.: ASH19-027612-01

Date of sample received: May 29, 2019

Testing period: May 29, 2019 ~ June 11, 2019

Test(S) REQUESTED:

Select test(s) as requested by the applicant

TEST RESULT(S):

Test Item	Unit	Test Method (Reference to)	Test result	Limit of Quantitation
Moisture	g/100g	GB 5009.3-2016 I	5.22	/
Ash	g/100g	GB 5009.3-2016 I	5.2	/
Heavy Metal (as Pb)	mg/kg	General Requirement No 0821 of Ch.P.2015 Volume IV	<10	/
*Arsenic (As)	mg/kg	Journal of AOAC international Vol 90, No.3, 2007 ICP-MS	0.23	0.02
*Lead (Pb)	mg/kg		0.22	0.02
*Mercury (Hg)	mg/kg		Not Detected	0.01
*Cadmium (Cd)	mg/kg		0.05	0.02
*Aflatoxin B ¹	µg/kg	General requirement No. 2351 method I of Ch.P.2015 Volume IV HPLC-FLD	Not Detected	3.0
*Aflatoxin B ²	µg/kg		Not Detected	3.0
*Aflatoxin G ¹	µg/kg		Not Detected	2.0
*Aflatoxin G ²	µg/kg		Not Detected	2.0
*Aflatoxin (B ¹ +B ² +G ¹ +G ²)	µg/kg		Not Detected	/
*Methanol	mg/kg	In house method HS-GC-MS	Not Detected	20
*Ethanol	mg/kg		Not Detected	10

Remark:* The test was carried out by a SGS laboratory.