

# TEST REPORT

REPORT THE INSPECTION AND QUARANTINE TECHNOLOGY CENTER, ENTRY INSPECTION AND QUARANTINE BUREAU

Product Name: Metaboclear-CH Shake

Amount: 455g\*2

Sample Description: Capsule  Powder

Batch: C181013B      SKU: HCD\_FD-02-004

Sampling Date: 20181022

Testing Results:

Item	Sample	Product:	Method:
Total Aerobic Microbial Count (CFU/g)		150	GB 4789.2-2016
Coliform (MPN/g)		<0.3	GB 4789.3-2016
Total Combined molds and yeasts (CFU/g)		<10	GB 4789.15-2016
Salmonella Species (/25g)		Not Detected	GB 4789.4-2016
Staphylococcus aureus (/25g)		Not Detected	GB 4789.10-2016
Escherichia coli (MPN/g)		<0.3	GB 4789.38-2016
HCH (mg/kg)		<0.002	GB/T 5009.19-2008
DDT (mg/kg)		<0.009	GB/T 5009.19-2008
Parathion (mg/kg)		<0.01	SN/T 0148-2011
Nitrate based on NaNO <sub>2</sub> (mg/kg)		ND (<1)	GB 5009.33-2016

Note: The above test results are only responsible for this sample