Effecsulin

Supports Healthy Blood Sugar Levels

Biogenetix
Nutrition Uncompromised

PRODUCT BENEFITS*

- **Supports healthy blood sugar levels**
- **Supports healthy insulin response**

Effecsulin is an herbal based formulation designed to support normal blood sugar metabolism and healthy pancreatic (endocrine) function and insulin response. Key ingredients include extracts of Bitter Melon, Gymnema Sylvestre, and Banaba Leaf.

DIRECTIONS FOR USE

Take 1 capsule once per day, or as directed by your health care professional.

STORAGE

Store in a cool, dry place away from direct sunlight. Product from unopened containers that have been stored under recommended conditions (55-85° F / 13-29° C) may be used for up to 36 months.

WARNING

Consult your health care professional before use if pregnant, nursing, taking medications, or for any use by minors. Do not use if safety seal is broken or missing. Keep out of reach of children.

SUPPLEMENT FACTS

Serving size: 1 Capsule Servings per container: 90	Amount Per Serving	% Daily Value
Berberine HCl	150 mg	**
Bitter Melon (Momridca charantial) [Fruit] Extract (Std. to 5% Bitters)	99 mg	**
Gymnema sylvestre [Leaf] Extract (Std. to 75% Gymnemic Acids)	99 mg	**
Banaba (Lagerstroemia speciosa) [Leaf] Extract (Std. to 1% Corosolic Acids)	99 mg	**
Cactus (Opuntia ficus-indica) [Stem] Extract	39 mg	**
L-Carnitine-L-Tartrate	23 mg	**
Poria Cocos Root Extract	3.17 mg	**
Rehmannia Root Extract	3.17 mg	**
Garcinia cambogia [Fruit] Extract (Std. to 60% Hydroxy Citric Acid)	3.17 mg	**
Guggul (Commiphora mukul) [Gum] Extract (10%)	3.17 mg	**
Cinnamon (Cinnamomum cassia) [Bark] (10:1 Extract)	3.17 mg	**
Fenugreek (Trigonella foenum-graecum) [Seed] Extract (Std to Contain 50% Saponins)	3.17 mg	**

** Daily Value Not Established

Other Ingredients: Gelatin (Capsule), Magnesium Stearate, Silica.
U.S. Patent Number: 9446100

*To be provided by health care professionals only. The dosage recommendations are only for your health care provider's consideration. Please consult your health care provider for your individual dosing instructions. This product is for nutritional purposes only. It is not designed to diagnose, treat, reverse, cure, or prevent any disease. This product is not intended to replace or delay the use of prescription medication. These statements have not been evaluated by the FDA. All rights reserved © Biogenetix, LLC

www.biogenetix.com
orders@biogenetix.com
(833) 525-0001

Biogenetix

REFERENCE LIST

1. Abdel-Aziz MT, Abdou MS, Soliman K, et al. Effects of L-carnitine on blood lipid patterns in diabetic patients. Nutr Rep Int 1984;29:1071-1079.
2. Basch,E, Gabardi,$, Ulbricht,C: Bitter melon (Momordica charantia): a review of efficacy and safety. Am J Health Syst Pharm 60:356-359, 2003
3. Basch,E, Gabardi,$, Ulbricht,C: Bitter melon (Momordica charantia): a review of efficacy and safety. Am J Health Syst Pharm 60:356-359, 2003
4. Frail-Munari AC, Gordillo Be, Altamirano P, and Ariza CR. Hypoglycemic effect of Opuntia streptacantha Lemiare in NIDDM. Diabetes Care, 1988; 11 :63-66.
5. Greco AV, et al. Effect of propionyl-L-carnitine in the treatment of angiopathy: Controlled double blind trial versus placebo. Drugs Exp Clin Res 1992;18:69-80.
6. Grover,JK, Yadav,S, Vats,V: Medicinal plants of India with anti-diabetic potential.J Ethnopharmacol. 81:81-100, 2002
7. Gunal AI, Celiker H, Donder E, Gunal SY. The effect of L-carnitine on insulin resistance in hemodialysed patients with chronic renal failure. J Nephrol 1999;12:38-40.
8. Heller W, Mushi HE, Gaebel G, et al. Effect of L-carnitine on post-stress metabolism in surgical patients. Infusiosther Klin Ernahr 1986;13:268-276.
9. Kakudat T, Sakane L, Takihara T, Ozaki Y, Takeuchi H, and Kuroyanagi M. Hypoglycemic effects of extracts from Lagerstroema speciosa L. leaves in genetically diabetic KK-AY mice. Biosci Biotechno Biochem, 1996; 60:204-208.
10. Kaskaran K, et al. Antidiabetic effect of a leaf extract from Gymnema sylvestre in non-insulin dependent diabetes mellitus patients. J Ethnopharmacol 1990; 30: 295-305.
11. Khare AK, Tondon RN, Tewari JP. Hypoglycemic activity of an indigenous drug (Gymnema sylvestre, 'Gurmar') in normal and diabetic persons. Indian J Physiol Pharmacol 1983;27(3):257-8.
12. Kubo K, Aoki H, and Nanba H. Anti-diabetic activity present in the fruit body of Grifola frondosa (Maitake). Biol Pharm Bull,1994; 17:1106-1110.
13. Lubec B, Hayn M, Kitzm0 lier E, et al. L-arginine reduces lipid peroxidation in patients with diabetes mellitus. Free Rad Biol Med. 1997;22:355-357.
14. Manohar V, Talpur N, Echard BW, Leiberman S, and Preusss HG. Effects of water soluble extract of maitake mushroom on circulating glucose/insulin concentrations in KK mice. Diabetes, Obesity nd Metabolism, 2001.
15. Marles,RJ, Farnsworth,NR: Antidiabetic plants and their active constituents. Phytomed 2:137-189, 1995
16. Marles,RJ, Farnsworth,NR: Plants as sources of antidiabetic agents. Economic and Medical Plant Research 6:149-187, 1993
17. Mingrone G, Greco AV, Capristo E, et al. L-carnitine improves glucose disposal in type 2 diabetic patients. J Am Coll Nutr 1999;18:77-82.
18. Mizuno T and Zhuang C. Maitake, Grigola frondosa; pharmacologic effects. Food Reviews Int, 1995;11:135-149.
19. Murakami C, Myoga K, Kasai R, Othani K, Kurowkasca T, Ishibashi S, Dayrit F, Padolina WG, and Yamaski K. Screening of plant constituents for effect on glucose transport activity in Erlich ascites tumor cells. Chem Pharm Bull (Tokyo), 1993;41:2129-2131.
20. Nag,B, Medicherla,S, Sharma.SD: Orally active fraction of momordica charantia,active peptides thereof, and their use in the treatment of diabetes. US Patent 6,391,854:1-14, 2002
21. Persaud SJ, Al-Majed H, Raman A, Jones PM. Gymnema sylvestre stimulates insulin release in vitro by increased membrane permeability. J Endocrinol 1999; 163(2):207-12.
22. Shanmugasundaram ERB, et al. Possible regeneration of the islet of Langerhans in streptozoticin-diabetic rats given Gynema sylvestre leaf extracts. J Ethnopharmacol 1990 30; 265-279.
23. Shanmugasundaram ERB, et al. Use of Gynema sylvestre leaf extract in the control of blood glucose in insulin-dependent diabetes mellitus. J Ethanopharmacol 1990; 30: 281-294.
24. Shanmugasundaram KR, et al. Enzyme changes and glucose utilization in diabetic rabbits: the effect of Gymnema sylvestre, R.Br. J Ethnopharmacol 1983;7(2):205-34.
25. Shapiro,K, Gong.WC: Natural products used for diabetes. J Am Pharm Assoc (Wash.) 42:217-226, 2002
26. Therapeutic Research Faculty. Maitake. In: Natural Medicnes. Comprehensive Database. Stockton, CA, 2001; pp 699-700.
27. Therapeutic Research Faculty. Prickly Pear Cactus. In: Natural Medicines. Comprehensive Database. Stockton, CA, 2001; pp 858-859.
28. Yeh,GY, Eisenberg,DM, Kaptchuk,TJ, Phillips.RS: Systematic review of herbs and dietary supplements for glycemic control in diabetes. Diabetes Care 26:1277- 1294, 2003

*To be provided by health care professionals only. The dosage recommendations are only for your health care provider's consideration. Please consult your health care provider for your individual dosing instructions. This product is for nutritional purposes only. It is not designed to diagnose, treat, reverse, cure, or prevent any disease. This product is not intended to replace or delay the use of prescription medication. These statements have not been evaluated by the FDA. All rights reserved © Biogenetix, LLC

www.biogenetix.com
orders@biogenetix.com
(833) 525-0001